

SECTION 1 - IDENTIFICATION

Product Name: URSCHELUBE, FDA, ISO 100
 Product Code(s): 25641, 25674, 83165
 NSF Registration Number: 147664
 Manufactured by High Performance Lubricants

URSCHEL LABORATORIES, INC
1200 Cutting Edge Drive
Chesterton, IN 46304 USA

Phone #: 1.219.464.4811
 Fax #: 1.219.462.3879
 Toll Free # : 1-844 URSCHEL(877-2435)

SECTION 2 - HAZARD IDENTIFICATION

GHS Hazards

H305 May be harmful if swallowed and enters airways
 H315+H320 Causes skin and eye irritation
 H333 May be harmful if inhaled

GHS Precautions

P101 If medical advice is needed, have product container or label at hand
 P102 Keep out of reach of children
 P262 Do not get in eyes, on skin, or on clothing
 P264 Wash hands thoroughly after handling
 P270 Do not eat, drink or smoke when using this product
 P281 Use personal protective equipment as required
 P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 P302+P352 IF ON SKIN: Wash with soap and water
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
 P306+P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes
 P308+P313 IF exposed or concerned: Get medical advice/attention
 P332+P313 If skin irritation occurs: Get medical advice/attention
 P370+P380 In case of fire: Evacuate area
 P402+P404 Store in a dry place. Store in a closed container

GHS Signal Word

Warning



SECTION 2 - HAZARD IDENTIFICATION

This product is a liquid that is insoluble in water. Direct eye contact may cause temporary irritation. Short-term exposure is not expected to be irritating. Inhalation and ingestion are not anticipated routes of exposure during normal condition of use. The viscous nature may block breathing if inhaled.

The routes of entry are eye, skin, inhalation and ingestion. These are easily prevented by following normal handling procedures.

There are no targeted organs known.

There are no known acute toxicity hazards.

Effects of Overexposure:

This product is not listed as a known or suspected carcinogen by IARC, OSHA, ACGIH or the NTP.

SECTION 3 - COMPONENT DATA

<u>Chemical Name</u>	<u>CAS No</u>	<u>Percent</u>
Synthetic Base Oil	64742-54-7	70.00 to 80.00 %
Proprietary Additives		10.00 to 20.00 %
PAO	68037-01-4	1.00 to 5.00 %

SECTION 4 - FIRST AID MEASURES

Inhalation is not an expected route of exposure. If respiratory irritation or distress occurs, remove the employee to fresh air. Contact a physician or other medical professional if irritation or distress persists.

Upon direct eye contact, hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. If irritation is due to exposure to mist or vapors, remove the individual to fresh air. If irritation persists, flush the eyes with clean water until the irritation subsides. If symptoms persist, contact a physician.

If skin irritation occurs, wash with soap and water. Contaminated clothing should be removed to prevent prolonged exposure. If symptoms persist, contact a physician.

If small amounts are ingested, first aid measures are not likely to be necessary. If larger amounts are ingested or if symptoms of ingestion occur, dilute stomach contents with two glasses of water or milk. (NOTE: DO NOT give anything by mouth to an unconscious person.) Do not induce vomiting without medical supervision. If vomiting occurs spontaneously keep airway clear. If symptoms persist, contact a physician.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: 220 C (428 F)

Autoignition: N/A

LEL: N/A

UEL: N/A

In accordance with guidance, dry chemical, foam, or CO2 fire extinguishers are all acceptable. Note that while water fog extinguishers are also acceptable, do NOT apply a direct stream of water (water jet) onto burning product because it may cause spreading and increase fire intensity.

No known hazardous combustion products. Mostly oxides of carbon.

Emergency responders in the danger area should wear bunker gear and self-contained breathing apparatus for fire beyond incipient stage.

See Section 8 of the MSDS for other PPE to be worn as conditions warrant.

Standard fire fighting equipment is adequate.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

IMPORTANT: As with any spill or leak, before responding ensure that you are familiar with the potential hazards and recommendations of the MSDS. Appropriate personal protective equipment must be worn. See Section 8 of the MSDS for PPE recommendations.

Small volumes or residues may be soaked up with absorbents. Spill response materials should be collected for proper disposal.

If possible, safely contain the spill with dikes or other spill response equipment appropriate for petroleum or organic material releases. Take measures to prevent spreading of product. Product is flammable, and will burn. As a precaution eliminate ignition sources. Prevent from entering sewers or waterways. Large volumes may be transferred to an appropriate container for proper disposal.

SECTION 7 - HANDLING AND STORAGE

Keep away from heat. Open product containers slowly to relieve any pressure and open in a well-ventilated area due to possible presence of irritating vapors in the headspace. Reseal containers immediately after use.

As with any industrial chemical, handle the product in a manner that minimizes exposure to practicable levels. Prior to handling, consult Section 8 of this MSDS to evaluate personal protective equipment needs. Follow all other standard industrial hygiene practices.

Product residue in empty containers is flammable. NOTE that excessive heating or cutting of empty containers may create an ignition source sufficient to start a fire and in extreme cases cause an explosion. All safety precautions taken when handling the product should also be taken when handling empty drums and containers.

Protect product quality by storing indoors and away from extreme temperatures.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

<u>Chemical Name / CAS No</u>	<u>OSHA Exposure Limits</u>	<u>ACGIH Exposure Limits</u>	<u>Other Exposure Limits</u>
Synthetic Base Oil 64742-54-7	TWA: 5 mg/m ³ as oil mist, if generated	TWA: 5mg/m ³ STEL: 10 mg/m ³ as oil mist, if generated	----
Proprietary Additives	TWA: 5 mg/m ³ as oil mist, if generated	TWA: 5mg/m ³ STEL: 10 mg/m ³ as oil mist, if generated	----
PAO 68037-01-4	TWA: 5 mg/m ³ as oil mist, if generated	TWA: 5mg/m ³ STEL: 10 mg/m ³ as oil mist, if generated	----

Normal general ventilation is expected to be adequate. It is recommended that ventilation be designed in all instances to maintain airborne concentrations at the lowest practicable levels. The user may want to refer to 29CFR 1910.1000. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits.

Standard control methods are adequate.

Personal protective equipment (PPE) should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to OSHA regulations.

Contaminated gear should be disposed of in accordance to local, state, and federal regulations.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

This is a food grade product and should be handled as all food grade products.

Appearance	Clear to light amber
Odor	Characterisitc/Mild
Physical State	Liquid
Evaporation Rate	>0.1
Specific Gravity (SG)	0.858

SECTION 10 - STABILITY AND REACTIVITY

This product is basically stable.

This product is incompatible with strong oxidizing agents.

Thermal decomposition products are dependent on combustion conditions. A complex mixture of airborne solid, liquid, particulates and gasses may evolve when the material burns. Combustion byproducts may include: oxides of carbon, acid gases, and incompletely burned hydrocarbons as fumes and smoke.

SECTION 11 - TOXICOLOGICAL INFORMATION

<u>Acute Toxicity</u>	<u>Hazard</u>	<u>LC50/LD50 Data</u>
Oral	Unlikely to be harmful	> 5000 mg/kg
Dermal	Unlikely to be harmful	> 2000 mg/kg
Inhalation	Unlikely to be harmful	> 5.0 mg/L

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

This product has not been evaluated for ecotoxicity. As with any chemical, exposure to the environment should be prevented and minimized wherever possible.

ENVIRONMENTAL FATE

The degree of biodegradability and persistence of the product has not been determined.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Consider recycling this product. This product, as sold, does not meet the RCRA characteristics of a hazardous waste. Under RCRA, it is the responsibility of the user, at the time of disposal, to determine whether the product meets the RCRA criteria for hazardous waste. Contact a waste disposal company or local authority for advice. Ensure that collection, transport, treatment and disposal of waste product, containers, and rinsed material comply with all applicable laws and regulations. NOTE that use, mixture, processing or contamination of this product may cause the material to be classified as hazardous waste.

CONTAINER DISPOSAL:

Consider the container part of the product.

SECTION 14 - TRANSPORT INFORMATION

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>HazardClass</u>
DOT	U.S. Department of Transportation If shipped by land in a package having a capacity larger than 3,500 gallons, 49 CFR, Part 130 apply.	Not Regulated	--	--
ICAO/IATA	International Civil Aviation Org / International Air Transport Assoc. U.S. Dot compliance requirements may apply. See 49 CFR 171.22, 23 & 25.	Not Regulated	--	--
IMDG	International Maritime Dangerous Goods U.S. Dot compliance requirements may apply. See 49 CFR 171.22, 23 & 25.	Not Regulated	--	--

SECTION 15 - REGULATORY INFORMATION

This product is a stable and non-hazardous.

SECTION 16 - OTHER INFORMATION

Prepared by : Corporate Regulatory Compliance

Date of Issue : April 23, 2013

Last Revision Date : August 28, 2018 - updated product codes.

NOTICE: This MSDS produces a good faith representation of information believed to be accurate as of the last revision date. This document does not create any express or implied product warranties. Since conditions of use are beyond the control of High Performance Lubricants LLC, all risks associated with the product are assumed by the user.

FG-021